



TAMIL NADU POLLUTION CONTROL BOARD

CONSENT ORDER NO. 170817294927 DATED: 31/03/2017.

PROCEEDINGS NO.F.1425MMN/OS/DEE/TNPCB/MMN/W/2017 DATED: 31/03/2017

SUB: Tamil Nadu Pollution Control Board - RENEWAL OF CONSENT – M/s. PIPE HANGERS & SUPPORTS PRIVATE LIMITED UNIT-I , S.F.No. S.F.NO.3/4 PART, SEEVARAM village, Sholinganallur Taluk and Kancheepuram District - Renewal of Consent for the operation of the plant and discharge of sewage and/or trade effluent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act 6 of 1974) – Issued- Reg.

REF: 1.RCO Proc.No: DEE/TNPCB/MMN/F.2265/OS/W&A/2014 dated:02/07/2014
2.Unit's application for Renewal of Consent dated:23/03/2017
3.RIR.No:F.1425MMN/O/S/AE/MMN/2017 dated:23/03/2017

RENEWAL OF CONSENT is hereby granted under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 as amended in 1988 (Central Act, 6 of 1974) (hereinafter referred to as “The Act”) and the rules and orders made there under to

The Director
M/s.PIPE HANGERS & SUPPORTS PRIVATE LIMITED UNIT-I,
S.F.No. S.F.NO.3/4 PART,
SEEVARAM village,
Sholinganallur Taluk,
Kancheepuram District.

Authorising the occupier to make discharge of sewage and /or trade effluent.

This is subject to the provisions of the Act, the rules and the orders made there under and the terms and conditions incorporated under the Special and General conditions stipulated in the Consent Order issued earlier and subject to the special conditions annexed.

This RENEWAL OF CONSENT is valid for the period ending March 31, 2018

**District Environmental Engineer,
Tamil Nadu Pollution Control Board,
MARAIMALAI NAGAR**

SPECIAL CONDITIONS

1. This renewal of consent is valid for operating the facility for the manufacture of products/byproducts (Col. 2) at the rate (Col 3) mentioned below. Any change in the product/byproduct and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
Product Details			
1.	BOILER ACCESSORIES	34	T/M
By-Product Details			
1.	NIL	0	
Intermediate Product Details			
1.	NIL	0	

2. This renewal of consent is valid for operating the facility with the below mentioned outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
Effluent Type : Sewage			
1.	SEWAGE	2.8	On Industrys own land
Effluent Type : Trade Effluent			
1.	TRADE EFFLUENT	0.3	Solar Evaporation Pans

Additional Conditions:

- 1.The unit shall dispose the sewage through septic tank and soak pit arrangement as reported.
- 2.The unit shall evaporate the entire quantity of trade effluent through impervious solar evaporation pan.
- 3.The unit shall ensure that there shall not be any overflow or seepage from the Solar Evaporation Pan.
- 4.The unit shall collect and dispose the solid waste to outside agencies for further beneficial use without any accumulation of the same within the unit's premises.

**District Environmental Engineer,
Tamil Nadu Pollution Control Board,
MARAIMALAI NAGAR**

To
The Director,
M/s.PIPE HANGERS & SUPPORTS PRIVATE LIMITED UNIT-I,
NO.29, PERUNGUDI INDUSTRIAL ESTATE, PERUNGUDI, CHENNAI,
Pin: 600096

Copy to:

- 1.The Commissioner, CHENNAI CORPORATION, Sholinganallur Taluk, Kancheepuram District .
2. Copy submitted to the Member Secretary, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
3. Copy submitted to the JCEE-Monitoring, Tamil Nadu Pollution Control Board, Chennai for favour of kind information.
4. File

**** This consent order is computer generated by OCMMS of TNPCB and no signature is needed****